

		(<i>Acer saccharum</i>)	(<i>Acer rubrum</i>)				(<i>Tilia americana</i>)		(<i>Populus tremuloides</i>)	(<i>Populus deltoides</i>)	(<i>Prunus serotina</i>)	(<i>Ulmus americana</i>)	(<i>Picea glauca</i>)	(<i>Betula papyrifera</i>)
Relative density (%/ac.)	106.5	84.8	12.7	2.6	2.9	1.0	0.9	0.3	0.2	0.3	0.2	0.3	0.1	
Percent of stand (%)	100.0	79.7	11.9	2.5	2.7	0.9	0.9	0.3	0.2	0.3	0.2	0.2	0.1	

Volumes

The boardfoot volumes were calculated using the 'Scrivani-Wiant' equation with the 'Scribner' log rule.

	All species	Overstory only												
		sugar maple (<i>Acer saccharum</i>)	red maple (<i>Acer rubrum</i>)	black ash (<i>Fraxinus nigra</i>)	yellow birch (<i>Betula alleghaniensis</i>)	white ash (<i>Fraxinus americana</i>)	American basswood (<i>Tilia americana</i>)	balsam fir (<i>Abies balsamea</i>)	quaking aspen (<i>Populus tremuloides</i>)	eastern cottonwood (<i>Populus deltoides</i>)	black cherry (<i>Prunus serotina</i>)	American elm (<i>Ulmus americana</i>)	white spruce (<i>Picea glauca</i>)	paper birch (<i>Betula papyrifera</i>)
Gross sawtimber volume (bd.ft./ac.)	4,882	3,567	810	61	107	129	107	0	44	37	0	0	20	
Net sawtimber volume (bd.ft./ac.)	4,882	3,567	810	61	107	129	107	0	44	37	0	0	20	
Gross pulpwood volume (cords/ac.)	26	20	4	1	1	0	0	0	0	0	0	0	0	
Net pulpwood volume (cords/ac.)	21	16	3	1	0	0	0	0	0	0	0	0	0	
Gross total volume (cords/ac.)	38	29	6	1	1	1	1	0	0	0	0	0	0	
Net total volume (cords/ac.)	31	24	4	1	1	0	0	0	0	0	0	0	0	

Values

	All species	Overstory only												
		sugar maple (<i>Acer saccharum</i>)	red maple (<i>Acer rubrum</i>)	black ash (<i>Fraxinus nigra</i>)	yellow birch (<i>Betula alleghaniensis</i>)	white ash (<i>Fraxinus americana</i>)	American basswood (<i>Tilia americana</i>)	balsam fir (<i>Abies balsamea</i>)	quaking aspen (<i>Populus tremuloides</i>)	eastern cottonwood (<i>Populus deltoides</i>)	black cherry (<i>Prunus serotina</i>)	American elm (<i>Ulmus americana</i>)	white spruce (<i>Picea glauca</i>)	paper birch (<i>Betula papyrifera</i>)
Sawlog value (\$/ac.)	1,440.37	1,426.99	0.00	0.73	7.36	0.00	0.00	0.00	1.88	2.80	0.00	0.00	0.62	
Pulpwood value (\$/ac.)	213.59	206.81	0.00	0.88	3.61	0.00	0.00	0.84	0.36	0.28	0.00	0.00	0.50	
Timber value (\$/ac.)	1,653.97	1,633.80	0.00	1.61	10.97	0.00	0.00	0.84	2.24	3.08	0.00	0.00	1.12	

Biomass

	All species	Overstory only												
		sugar maple (<i>Acer saccharum</i>)	red maple (<i>Acer rubrum</i>)	black ash (<i>Fraxinus nigra</i>)	yellow birch (<i>Betula alleghaniensis</i>)	white ash (<i>Fraxinus americana</i>)	American basswood (<i>Tilia americana</i>)	balsam fir (<i>Abies balsamea</i>)	quaking aspen (<i>Populus tremuloides</i>)	eastern cottonwood (<i>Populus deltoides</i>)	black cherry (<i>Prunus serotina</i>)	American elm (<i>Ulmus americana</i>)	white spruce (<i>Picea glauca</i>)	paper birch (<i>Betula papyrifera</i>)
Foliage biomass (tons/ac.)	2	2	0	0	0	0	0	0	0	0	0	0	0	
	58	46	8	1	1	1	1	0	0	0	0	0	0	

Stem biomass (tons/ac.)														
Branch biomass (tons/ac.)	24	19	3	0	1	0	0	0	0	0	0	0	0	(
Bark biomass (tons/ac.)	12	10	2	0	0	0	0	0	0	0	0	0	0	(
Aboveground biomass (tons/ac.)	96	76	13	2	2	1	1	0	0	0	0	0	0	(
Root biomass (tons/ac.)	18	14	2	0	0	0	0	0	0	0	0	0	0	(
Total biomass (tons/ac.)	115	91	15	2	3	1	1	0	0	0	0	0	0	(